

July  
B92

We Claim:

1. ~~A cart for heavy folding tables of the type used by hotels, convention centers,~~  
schools, and other institutions having a planar upper member supported by a  
rectangular support frame thereunder that includes a pair of spaced folding leg  
5 members for supporting said planar upper member approximately 29-30 inches above  
the floor, said cart comprising:
- a base frame having an upper table receiving bed for supporting the lower  
edge of a table tipped thereon;
- said bed having a height greater than one-half the height of said folding tables  
10 such that when the cart is placed beneath the table the lower edge of the table can be  
easily tilted onto said base;
- said base further including a tipped table support extending upwardly and at an  
angle from said bed for supporting a table top in the tilted and transporting position;
- said table support having a steep slope extending upwardly and outwardly  
15 from said base such that the table, with the top thereof placed against said support  
structure and with the legs thereof extended over said base, is leaning slightly against  
said tipped table support in a stable orientation; and
- said bed further including guide ridges along at least opposed ends of said  
base frame defining a plurality of table edge holding notches therebetween;
- 20 whereby a single operator can easily load and unload said heavy folding  
tables.
2. The cart of Claim 1 wherein said bed has a length less than the distance  
between said folding legs so that the cart may be pushed beneath the table.

17

005500-0404  
105010-0085260

3. The cart of Claim 1 wherein said table receiving bed comprises a box frame with spaced, opposed side and end members, said end members including upper surfaces at said bed height on which said guide ridges are formed with said table edge holding notches, said end members being spaced apart sufficiently to support said  
5 tables in the folded position.

4. The cart of Claim 3 wherein the space between said end members is approximately 40 inches and the bed height is approximately 19 inches for rectangular folding tables.

10 5. The cart of Claim 4 wherein the effective width of said cart is less than 30 inches to permit access of a loaded cart through a conventional door.

6. The cart of Claim 3 wherein the space between said end members is  
15 approximately 31 inches and the bed height is approximately 19 ½ inches for circular folding tables having a diameter of 4-6 feet.

7. The cart of Claim 3 wherein said tipped table support comprises a pair of spaced arms forming a plane generally parallel to a line extending between  
20 corresponding notches in said end members for supporting a tipped table thereagainst.

8. The cart of Claim 7 wherein said arms form an angle of approximately 80° with the horizontal.

9. The cart of Claim 8 further including a handle extending between said arms.

10. The cart of Claim 1 wherein said table receiving bed comprises a support  
5 surface extending across said base frame and said guide ridges are formed by a  
plurality of slats extending along said support surface forming a plurality of table  
edge holding channels therebetween.

10

T.050T.00334.60

30219

18

19